

INDEX

- Abrus precatorius, 60
 Acacia, 41
 — farnesiana, 60
 — torulosa, 60
 Acalypha wilkesiana, 65
 Acanthaceae, 60, 61, 67
 Acanthocarpus, 129–133, 137, 141, 143, 145, 146, 148
 — preissii, 136, 137, 142, 143
 Acrotrema, 44
 Actinidia, 284, 292
 Actinidiaceae, 286, 287, 289, 292
 African tulip tree, 67
 Agarista, 337
 Agavaceae, 65, 66
 Agave americana, 65
 — — var. marginata, 65
 — — var. variegata, 65
 — decipiens, 57
 Aiphanes, 114, 119, 123
 Albizia lebeck, 60
 Alismatidae, 178
 Allagoptera arenaria, 123
 Allium cepa, 65
 Alnus, 1
 Aloë barbadensis, 65
 — vera, 65
 Alpinia sect. Myriocrater, 150
 Altamiranoa, 219
 Alternanthera ramosissima, 60
 Amaranthaceae, 60, 62, 63
 Amaranthus viridis, 60
 Amaryllidaceae, 65
 Ammandra, 111, 112, 121
 — decasperma, 113, 115, 119
 Anacampseros, 207, 218
 Anacardiaceae, 1–3, 64, 66, 67, 70
 — tribe Rhoideae, 2
 — tribe Spondieae, 2, 3
 Anacardioxylon magniporosum, 3
 Anatomy and Phylogeny of Paeonia Section Moutan, Wood, 274–297
 Anatomy of Hibbertia (Dilleniaceae) in Relation to Ecology and Evolution, Xylem, 32–49
 Anatomy of Myrothamnus flabellifolius (Myrothamnaceae), The Nodal: Another Example of a “Split-lateral” Condition, 192–196
 Annona squamosa, 60
 Annonaceae, 60, 65, 286, 287, 289, 290, 292
 Anthurium, 65
 Apeiba, 299
 — tibourbou, 299, 300, 302, 303, 305, 307–309
 Aphyllanthes, 130, 132
 — monspeliensis, 132
 Apocynaceae, 63, 65, 66
 Aponogetonaceae, 171
 Aquifoliaceae, 70
 Araceae, 65–67
 Aralia, 66
 Araliaceae, 65, 66
 Araucaria columnaris, 65
 — heterophylla, 65
 Araucariaceae, 65
 Arbor vitae, 67
 Ardisia escallonioides, 60
 Arecaceae, 63, 65–67, 105
 Arecastrum romanzoffianum, 65
 Arenga undulatifolia, 116
 Argemone mexicana, 60
 Arundo donax, 60
 Asclepiadaceae, 61, 66
 Asparagus densiflorus, 65
 — setaceus, 65
 Asparagus fern, 65
 Asplundia, 83
 Asteraceae, 60–66, 192
 Atriplex arenaria, 60
 AUSTIN, DANIEL F., and DAVID M. MCKIN. An Ethnoflora of Chokoloskee Island, Collier County, Florida, 50–67
 Australasia, Rhizophora in — Some Clarification of Taxonomy and Distribution, 156–169
 Australian pine, 65
 Avicennia, 344
 — germinans, 60
 Avicenniaceae, 60
 Avocado, 63
 Bactris, 106
 — simplicifrons, 123
 Balsam apple, 63
 Banana, 66
 Banded wild pine, 64
 Barbados aloe, 65
 BARGHOORN, ELSON S., ELISABETH F. WHEELER, and RICHARD A. SCOTT. Fossil Dicotyledonous Woods from Yellowstone National Park, II, 1–31
 Bataceae, 60
 Batis maritima, 60

- Bauhinia variegata*, 65
 Bacteria, 129, 130
 Beach moonflower, 62
 Beach-orach, 60
 Beach sage, 62
 Beefwood, 65
Befaria, 315, 332, 336-338
 — *racemosa*, 336-338
Belotia, 299
 — *mexicana*, 299, 300, 302, 303, 306-309
 Berberidaceae, 283, 284, 287-289
 — subfam. *Berberidoideae* 284
 — subfam. *Paeonioideae*, 284
 — subfam. *Podophylloideae*, 284
Bidens pilosa, 60
 Bignoniaceae, 64, 67
 Bird pepper, 61
Bismarckia nobilis, 106
 Black mangrove, 60
Blechum brownei, 60
 Bloodberry, 64
 Bloodleaf, 62
 Blue porterweed, 64
 BOHM, BRUCE A., SCOTT W. BRIM, RICHARD J. HEBDA, and P. F. STEVENS. Generic Limits in the Tribe *Cladothamneae* (*Ericaceae*), and Its Position in the *Rhododendroideae*, 311-341
 Bombacaceae, 65
Bombax malabaricum, 65
 Boraginaceae, 62, 65
Borassus aethiopum, 106
Borreria ocimoides, 60
Botryostege, 311, 332, 335
 — *bracteata*, 335
 — — *forma longeracemosa*, 335
 Bottle-brush, 65
Bougainvillea, 65
 — *glabra*, 65
 Bowstring hemp, 64
Brassaia actinophylla, 65
Brassica oleracea, 65
 Brassicaceae, 62, 65
 Brazilian *Trixis eryngioides* to *Perezia* (*Compositae*, *Mutisieae*), Transfer of the, 352-359
 BRIM, SCOTT W., RICHARD J. HEBDA, P. F. STEVENS, and BRUCE A. BOHM. Generic Limits in the Tribe *Cladothamneae* (*Ericaceae*), and Its Position in the *Rhododendroideae*, 311-341
 Bromeliaceae, 64, 67
 Brown gum, 66
Browneria, 261
Bryophyllum, 238, 240, 241
 — *pinnatum*, 60
Buchnera (*Scrophulariaceae*) from Colombia, A Spectacular, 298
Buchnera, 298
 — *rubriflora*, 298
Bulliarda, 232
Bumelia celastrina, 60
 BUNT, J. S., R. B. PRIMACK, N. C. DUKE, and P. B. TOMLINSON. *Lumnitzera rosea* (*Combretaceae*) — Its Status and Floral Morphology, 342-357
Bursera simaruba, 51, 55, 60
 Burseraceae, 2, 60
 Bush morning glory, 62
 Buttonwood, 61
Byrnesia, 220

 Cabbage, 65
 Cabbage palm, 67
 Cabbage palm fern, 63
Cacalia acuminata, 366
 — *arborescens*, 381
 — *buxifolia*, 396
 — *fruticosa*, 391
 — *havanensis*, 399
 — *hieracioides*, 400
 — *punctata*, 373
 — *scorpioides*, 409
 — *stenophylla*, 393
 — *thomae*, 373
 — *tournefortioides*, 409
 Cactaceae, 62, 63, 65, 66
Caesalpinia bonduc, 60
Calamus muelleri, 111
 — *perakensis*, 114
 — *siphonospathus*, 116
Calectasia, 129, 130
Callistemon lanceolatus, 65
Calluna, 315
 Calycanthaceae, 284, 286, 287, 289, 290
Calyptrogyne brachystachys, 123
Calyptronoma occidentalis, 118
Camptotheca, 14
Cananga odorata, 65
Candelabra cactus, 66
 Cane palm, 65
 Canellaceae, 287, 289
 Canistel, 67
 Cape honeysuckle, 67
 Capparaceae, 60
Capparis cynophallophora, 60
 — *flexuosa*, 60
Capraria biflora, 60
 Caprifoliaceae, 192
Capsicum frutescens, 61
 Cardinal air plant, 64
Cardiospermum halicacabum, 61
Carex, 215
Carica papaya, 61

- Caricaceae, 61, 72
 Carludovica, 74
 Carpinus, 1
 Carpodiptera, 299
 — ameliae, 299–303, 305, 307–309
 Caryophyllaceae, 217
 Caryota mitis, 65
 Cassia obtusifolia, 61
 Castanopsis acuminatissima, 150
 Castor bean, 67
 Casuarina equisetifolia, 65
 — glauca, 65
 Casuarinaceae, 65
 Catharanthus roseus, 65
 Cat's claw, 63
 Celtis, 19, 20
 — mccoshii, 19
 — occidentalis, 19
 Cenchrus echinatus, 61
 — incertus, 61
 Century plant, 65
 Cereus peruvianus, 65
 — undatus, 62
 Ceriman, 66
 Ceriops, 344
 Ceroxylon crispum, 108
 Chaff-flower, 60
 Chamaedorea, 106, 123
 — elatior, 122
 Chamaerops humilis, 111
 Chamaesyce blodgettii, 61
 — hirta, 61
 — hypericifolia, 61
 — hyssopifolia, 61
 — porterana, 61
 Chamaexeros, 129–134, 137, 141, 143, 145,
 146, 148
 — fimbriata, 134, 135, 137, 142, 143, 146
 — macranthera, 134, 137
 — serra, 134, 137, 146
 Cheeseweed, 63
 Chelyocarpus dianeurus, 114
 Chenopodiaceae, 60, 64
 Chew stick, 62
 Chinaberry, 62
 Chiococca alba, 61
 Chloranthaceae, 192
 Chokoloskee Island, Collier County, Flor-
 ida, An Ethnoflora of, 50–67
 Christmas berry, 62
 Christmas palm, 67
 Christmas rose, 61
 Chrysalidocarpus lutescens, 65
 Chrysophyllum oliviforme, 61
 Cistaceae, 218
 Citrus aurantium, 65
 Cladothamneae (Ericaceae), Generic Lim-
 its in the Tribe, and Its Position in the
 Rhododendroideae, 311–341
 Cladothamnus, 311, 312, 325, 332, 335,
 336
 — pyrolaeiflorus, 336
 — pyroliflorus, 311–316, 318, 319, 322,
 323, 325–327, 329, 330, 332, 333
 Clematis, 287–289, 291
 Clementsia, 218
 Clinostigma savaiiense, 114, 116
 Citrus aurantifolia, 65
 — paradisi, 65
 — sinensis, 61
 Clerodendrum philippinum, 61
 Cliftonia, 4, 5
 Coccoloba diversifolia, 61
 — uvifera, 65
 Coconut, 65
 Cocos nucifera, 65
 Codiaeum variegatum, 65
 Coffee weed, 61
 Coleus, 65
 — blumei, 65
 Colombia, A Spectacular Buchnera (Scro-
 phulariaceae) from, 298
 Combretaceae: Lumnitzera rosea — Its
 Status and Floral Morphology, 342–
 357
 Combretaceae, 61, 62, 67, 342
 Commelina diffusa, 61
 Commelinaceae, 61, 67
 Compositae: A Revision of the West In-
 dian Vernoniae, 360–413
 Compositae, Mutisieae: Transfer of the
 Brazilian Trixis eryngioides to Perezia,
 352–359
 Compositae, 286, 387
 — tribe Mutisieae subtribe Nassauviinae,
 352, 356
 — tribe Vernoniae, 360
 Coniferae, 71, 72
 Conocarpus erectus, 54, 61
 Convolvulaceae, 62
 Conyza, 370
 — arborescens, 379
 — fruticosa, 391
 — glabra, 372, 374
 — portoriccensis, 375
 — rigida, 369, 370
 — scorpioides, 409
 Copperleaf, 65
 Coral bean, 61
 Coral plant, 64
 Cordgrass, 64
 Cordia sebestena, 65
 Cordyline australis, 65
 Corn, 67

- Cornaceae, 11, 12
 Cornus, 4
 Corynephyllum, 219
 Cotinus, 2
 Cow pea, 65
 Craibiodendron, 336
 Crassula, 198, 206, 231–236
 — sect. *Pyramidella*, 236
 — sect. *Stellatae*, 236
 — sect. *Tillaeoideae*, 201, 232–236, 242
 Crassulaceae in the Southeastern United States, The Genera of, 197–248
 Crassulaceae, 60, 62, 197–248
 — subfam. *Cotyledonoideae*, 241, 242
 — subfam. *Crassuloideae*, 230, 231, 241, 242
 — subfam. *Echeverioideae*, 200, 218–220
 — subfam. *Kalanchoideae*, 237, 241, 242
 — subfam. *Sedoideae*, 200, 206, 219
 — subfam. *Sempervivoideae*, 201
 — tribe *Crassulaceae Anomalae*, 230
 — tribe *Diamorphae*, 230
 Creeping cucumber, 62
 Cremonophila, 219
 Crinum sanderianum, 65
 CRISCI, JORGE VICTOR, and CLODOMIRO MARTICORENA. Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), 352–359
 Crossosoma, 293
 Crossosomataceae, 274, 284, 287, 289, 293
 Crotalaria incana, 61
 — *pallida*, 61
 Croton, 65
 Crown-of-thorns, 66
 Cryosophila albida, 118, 122
 Cryptostegia madagascariensis, 66
 Cucurbita moschata, 66
 Cucurbitaceae, 62, 63, 66
 Cupressaceae, 66, 67
 Cupuliferae, 71
 Cyclanthaceae, Two New Species and a New Subgenus of, 74–101
 Cyclanthaceae, 74–101
 Cyclanthus, 83
 Cynanchum, 61
 Cyperaceae, 61, 62, 66, 215
 Cyperus alternifolius, 66
 — *ligularis*, 61
 Cyrilla, 4, 5
 — *racemiflora*, 4
 Cyrillaceae, 3–5, 11, 70
 Cyrilloxylon, 5
 — *eocenicum*, 3–5, 20, 26
 — *europaeum*, 5
 Dactyloctenium aegyptium, 61
 Daemonorops grandis, 114, 116
 Dasypogon, 129–132
 — *hookeri*, 136
 Date palm, 63, 66
 Dates of Publication of Sargent's *Silva of North America*, 68–73
 Davidia, 14
 — *involucrata*, 14
 Dayflower, 61
 Delonix regia, 66
 Desmodium tortuosum, 61
 Desmoncus, 122
 Diamorpha, 206, 214, 217, 219, 226–230
 Dianella, 129
 Dianthus, 217
 DICKISON, WILLIAM C., PHILLIP M. RURY, and G. LEDYARD STEBBINS. Xylem Anatomy of *Hibbertia* (Dilleniaceae) in Relation to Ecology and Evolution, 32–49
 Dicliptera assurgens, 61
 Dicotyledonous Woods from Yellowstone National Park, Fossil, II, 1–31
 Dicranopygium, 74, 77, 79–81, 83, 87
 — subg. *Dicranopygium*, 74, 79–81
 — subg. *Gleasonianthus*, 74, 79–81
 — subg. *Tomlinsonianthus*, 74, 75, 79–81
 — subg. *Uribanthus*, 74, 79–81
 — *Campii*, 81
 — *Harlingii*, 74–79, 81, 82, 84, 86
 — *macrophyllum*, 81
 — *robustum*, 81
 Didesmandra, 42, 44
 Dillenia, 44
 Dilleniaceae: Xylem Anatomy of *Hibbertia* in Relation to Ecology and Evolution, 32–49
 Dilleniaceae, 32, 44, 45, 48, 274, 284, 286, 287, 289, 290, 292–294
 — subfam. *Dillenioideae*, 292
 Dioscorea bulbifera, 61
 Dioscoreaceae, 61
 Dipterocarpaceae, 286
 Distichlis spicata, 61
 Distribution, *Rhizophora* in Australasia — Some Clarification of Taxonomy and, 156–169
 Ditch-grass, 186
 Dizygotheca elegantissima, 66
 Dracena, 65, 66
 Dropseed, 64
 Dudleya, 218
 DUKE, N. C., P. B. TOMLINSON, J. S. BUNT, and R. B. PRIMACK. *Lumnitzera rosea* (Combretaceae) — Its Status and Floral Morphology, 342–357

- Ebenaceae, 71
 Echeveria, 200, 219, 220
 — sect. *Graptopetalum*, 220
 — sect. *Thompsonella*, 220
 Ecology and Evolution, Xylem Anatomy of *Hibbertia* (Dilleniaceae) in Relation to, 32-49
 Ednoxylon parviareolatum, 3
 Egyptian grass, 61
 Ekmania, 411
 — *lepidota*, 411
Elaeis oleifera, 119, 123
 Elaeocarpaceae, 66
Eleiodoxa conferta, 123
 Elf-orpine, 227
Elliottia, 311-313, 329, 330, 332-338
 — *bracteata*, 312-314, 316-320, 322, 323, 325-327, 329, 330, 332-335, 337
 — — *forma bracteata*, 335
 — — *forma longiracemosa*, 335
 — *paniculata*, 312-320, 323, 325-330, 332-336
 — *pyroliflora*, 334-337
 — *racemosa*, 312-323, 325-327, 329-332, 334-336
 Epacridaceae, 41, 42
 Epiphyllum, 66
Eragrostis ciliaris, 61
Eremospatha, 116
 Ericaceae: Generic Limits in the Tribe *Cladothamneae*, and Its Position in the *Rhododendroideae*, 311-341
 Ericaceae, 217, 312, 313, 320, 331, 332, 336-338
 — subfam. *Monotropoideae*, 337
 — subfam. *Pyroloideae*, 337
 — subfam. *Rhododendroideae*, 311-313, 336-338
 — — tribe *Befarieae*, 336, 338
 — — tribe *Cladothamneae*, 311-341
 — — tribe *Diplarcheae*, 337
 — — tribe *Epigeaeae*, 337
 — — tribe *Phyllodoceae*, 336-338
 — — tribe *Rhodoreae*, 312, 338
 — subfam. *Vaccinioideae* tribe *Andromedeae*, 315, 336
Eriobotrya japonica, 66
Erythrina herbacea, 61
 Ethnoflora of Chokoloskee Island, Collier County, Florida, An, 50-67
 Eucalyptus, 44
 — *grandis*, 66
Eugenia axillaris, 61
 — *foetida*, 61
 — *uniflora*, 66
Eupatorium domingense, 396
 — *menthaefolium*, 401
Eupatorium obtusifolium, 372, 374
 — *odoratum*, 61
 — *perrinianum*, 401
 — *secundiflorum*, 373, 381
Euphorbia lactea, 66
 — *milii*, 66
 — *tirucalli*, 66
 Euphorbiaceae, 61, 63, 65-67
Euterpe cuatrecasana, 111
 Evolution, Xylem Anatomy of *Hibbertia* (Dilleniaceae) in Relation to Ecology and, 32-49
 Fabaceae, 60-67
 Fagaceae, 5, 71
 False aralia, 66
 FERNÁNDEZ, P., S. LOZANO, and E. MARTÍNEZ-HERNÁNDEZ. Pollen of Tropical Trees. I. *Tiliaceae*, 299-309
Ficus aurea, 61
Fimbristylis caroliniana, 62
 — *spathacea*, 62
 Firebush, 62
 Fish poison tree, 63
 Fishtail palm, 65
 Flexible caper, 60
 Floral Morphology, *Lumnitzera rosea* (Combretaceae) — Its Status and, 342-357
 Florida, An Ethnoflora of Chokoloskee Island, Collier County, 50-67
 Florida privet, 62
Forestiera segregata, 62
 Form of the Perforation Plates in the Wide Vessels of Metaxylem in Palms, 105-128
 Fossil Dicotyledonous Woods from Yellowstone National Park, II, 1-31
 Frangipani, 66
 Frostweed, 65
 Galactia *macreei*, 62
 Geiger tree, 65
 Genera of Crassulaceae in the Southeastern United States, The, 197-248
 Generic Limits in the Tribe *Cladothamneae* (Ericaceae), and Its Position in the *Rhododendroideae*, 311-341
 Generic Limits in the *Xeroteae* (Liliaceae *sensu lato*), 129-155
 Gentianaceae, 192
 Genus *Phyllocladus* (Phyllocladaceae), The, 249-273
 Geonoma, 123
 Geraniaceae, 66
 Geranium, 66
 Gesneriaceae, 192

- Giant reed, 60
 Goatweed, 60
 Goldenrod, 64
Gossypium hirsutum, 51
Gouania lupuloides, 62
 Grapefruit, 65
Graptopetalum, 200, 220
 Gray nicker, 60
Groenlandia, 187
 Grossulariaceae, 218
 Guava, 63
 Guinea grass, 63
 Guinea-hen weed, 63
 Gumbo limbo, 60
 Guttiferae, 287, 289, 292
- Hamamelidaceae, 11, 12, 71
Hamelia patens, 62
Hasseanthus, 218
 HAYNES, ROBERT R. The Potamogetonaceae in the Southeastern United States, 170-191
 Heart seed, 61
 HEBDA, RICHARD J., P. F. STEVENS, BRUCE A. BOHM, and SCOTT W. BRIM. Generic Limits in the Tribe Cladothamneae (Ericaceae), and Its Position in the Rhododendroideae, 311-341
 Hedge cactus, 65
Heliocarpus donnell-smithii, 299, 301-304, 306-309
Heliotropium angiospermum, 62
 Helleboraceae, 284
Helleborus, 289
 Helobiales, 178
 Hemiptelea, 19
Hensmania, 130
 — *turbinata*, 132
 Hernandiaceae, 284
Hibbertia (Dilleniaceae) in Relation to Ecology and Evolution, Xylem Anatomy of, 32-49
Hibbertia, 32-49
 — sect. *Candollea*, 37
 — sect. *Cyclandra*, 36, 42
 — — subsect. *Subsessiles*, 42
 — — subsect. *Trimorphandra*, 42
 — sect. *Hemipleurandra*, 37, 42
 — sect. *Hemistemma*, 38, 42
 — sect. *Pleurandra*, 37, 42
 — sect. *Polystiche*, 36
 — sect. *Spicatae*, 36
 — *altigena*, 33, 36
 — *aspera*, 33, 38
 — *banksii*, 33, 38, 39
 — *baudouinii*, 33, 36, 39, 40, 44
 — *coriacea*, 33, 35, 38, 40, 43, 44
Hibbertia cuneiformis, 33, 35, 37, 39, 40, 44
 — *dentata*, 45
 — *drummondii*, 33, 35, 37, 40, 44
 — *exutiacies*, 33, 35, 38, 39
 — *furfuracea*, 33, 37
 — *glaberrima*, 33, 37, 40, 43
 — *huegelii*, 33, 35, 37, 40, 43
 — *hypericoides*, 33, 35, 37, 40, 45, 48
 — *lineata*, 33, 37
 — *lucens*, 33, 35, 36, 40, 43, 44
 — *montana*, 34, 35, 37
 — *ngoyensis*, 34-36, 40, 44
 — *obtusifolia*, 34-36, 39, 44
 — *potentilliflora*, 34, 35, 37
 — *procumbens*, 34, 35, 37, 41
 — *saligna*, 34-36, 39, 40, 44, 45
 — *scandens*, 34-36, 40-43, 45
 — *sericea*, 34, 35, 37, 39, 40
 — *serrata*, 34, 36, 44, 45
 — *stricta*, 34, 35, 37, 43
 — *trachyphylla*, 34-36, 40
 — *uncinata*, 34, 35, 37, 39, 40
 — *virgata*, 34, 35, 37, 40, 43
Hibiscus tiliaceus, 57
Hydrophila, 232
Hylocereus undatus, 62
Hylotelephium, 207, 209, 219
Hyophorbe indica, 123
Hyphaene guineensis, 106
Hyptis pectinata, 62
- Iguanura*, 123
Ilex, 13, 14
 Illicineae, 70
 Indian mallow, 64
 Indigo berry, 63
Ipomoea alba, 62
 — *carnea*, 62
 — *hederifolia*, 62
 — *indica*, 62
 — *macrantha*, 62
 — *triloba*, 62
Iresine diffusa, 62
Itaya amicorum, 119, 122
Ixora, 66
 — *coccinea*, 66
- Jamaica caper tree, 60
 Jambolan plum, 67
 Japanese rose, 61
 Juglandaceae, 8, 71
Juglandinium caucasicum, 10
 — *tasseewii*, 10
Juglandoxylon, 10
Juglans, 9, 10
 — sect. *Cardiocaryon*, 9
 — sect. *Trachycaryon*, 9

- Juglans cinerea*, 9
 — *fryxellii*, 10
Juncaceae, 129
 — tribe *Calectasieae*, 130
 — tribe *Xanthorrhoeae*, 129, 130
 — tribe *Xeroteae*, 129, 130
Juncaginaceae, 171
Juniperus conferta, 66
- Kalanchoë*, 200, 206, 217, 237–243
 — sect. *Bryophyllum*, 238–243
 — sect. *Kalanchoë*, 238, 240–242
 — sect. *Kitchingia*, 238, 241
 — *grandiflora*, 62
Kaliphora, 11
Kalmia, 332
- KEEFE, JOSEPH M., and MAYNARD F. MOSELEY, JR. Wood Anatomy and Phylogeny of *Paeonia* Section *Moutan*, 274–297
 KEELEY, STERLING C. A Revision of the West Indian *Vernonias* (*Compositae*), 360–413
 KENG, HSUAN. The Genus *Phyllocladus* (*Phyllocladaceae*), 249–273
 Key lime, 65
 Kidney bean, 66
Kingia, 129, 130
Kitchingia, 238, 240, 241
 KLOTZ, LARRY H. Form of the Perforation Plates in the Wide Vessels of *Metaxylem* in Palms, 105–128
- Lactuca sativa*, 66
 Lady's sorrel, 63
Laguncularia, 344
 — *coccinea*, 344
 — *lutea*, 344, 345
 — *purpurea*, 344
 — *racemosa*, 62
 — *rosea*, 344, 345
Lamiaceae, 62, 65
Lantana, 62
 — *involucrata*, 62
 — *ovatifolia*, 62
Lardizabalaceae, 284
Lauraceae, 63, 71, 284
Laurocerasus, 16
 Leadwort, 66
Ledothamnus, 336
Ledum, 337
Leguminosae, 41, 70
Leiophyllum pyrolaeiflorum, 336
Lenophyllum, 200, 219
Lepidaploa albicaulis, 373
 — *arborescens*, 381
 — *buxifolia*, 396
Lepidaploa lanceolata, 373
 — *phyllostachya*, 375
 — *scorpioides*, 409
Lepidium, 55
 — *virginicum*, 62
Lepidocaryum, 123
 — *gracile*, 110, 114
 Lettuce, 66
Leucaena glauca, 329
Licuala, 123
 — *muelleri*, 122
 Life-plant, 62
Ligustrum amurense, 62
 — *ovalifolium*, 62
Liliaceae sensu lato: Generic Limits in the Xeroteae, 129–155
Liliaceae, 64, 65, 67, 71, 129
 — subfam. *Asphodeloideae*, 130
 — — tribe *Dasypogoneae*, 130
 — — tribe *Johnsonieae*, 130
 — — tribe *Lomandreae*, 130
 — tribe *Xeroteae*, 129–155
 Lime, 65
Liriodendron, 292
Lithocarpus, 6, 8
 Live-forever, 60, 207
Loasaceae, 62
Lomandra, 129–134, 137, 143, 145, 146, 148–150, 152
 — sect. *Cephalogyne*, 137, 141, 146
 — sect. *Eulomandra*, 138
 — — ser. *Sparsiflorae*, 129
 — sect. *Lomandra*, 129, 137, 138, 140, 141
 — sect. *Macrostachya*, 138
 — sect. *Schoenolomandra*, 137
 — sect. *Typhopsis*, 137, 138
 — *banksii*, 129, 134, 140, 141, 147, 150–152
 — *bracteata*, 141, 143
 — *brevis*, 141
 — *confertifolia*, 140, 141
 — *cylindrica*, 137, 139, 141–143
 — *densiflora*, 141
 — *dura*, 137, 141
 — *effusa*, 139, 141
 — *elongata*, 137
 — *endlicheri*, 130, 132, 139, 141, 146
 — *fibrata*, 139, 141
 — *filiformis*, 139, 141
 — *glauca*, 140
 — — subsp. *collina*, 137
 — — subsp. *glauca*, 137
 — *hastilis*, 135, 138
 — *hermaphrodita*, 143
 — *juncea*, 137, 138
 — *leucocephala*, 134, 138, 143, 146

- Lomandra leucocephala* subsp. *leucocephala*, 130, 132, 134, 138
 — — subsp. *robusta*, 138
 — *longifolia*, 140, 141, 143, 150
 — *macrostachya*, 141
 — *micrantha*, 130, 132, 137, 139, 141, 146
 — *montana*, 139, 141
 — *mucronata*, 146
 — *multiflora*, 134, 138, 140–143, 147, 150, 152, 153
 — *obliqua*, 134, 137, 140
 — *ordii*, 141
 — *papuana*, 129, 132–137, 141, 146, 148, 149
 — *patens*, 141
 — *pauciflora*, 141, 145
 — *preissii*, 139, 141
 — *purpurea*, 139, 141
 — *rigida*, 141
 — *rupestris*, 137
 — *sororia*, 134, 137, 139, 141, 146
 — *spartea*, 137, 138, 141
 — *spicata*, 141
 — *suaveolens*, 137
 — *turbinata*, 130
Lomandraceae, 129, 130
 Loquat, 66
 Love grass, 61
 LOZANO, S., E. MARTÍNEZ-HERNÁNDEZ, and P. FERNÁNDEZ. Pollen of Tropical Trees. I. Tiliaceae, 299–309
Ludovia, 81, 91, 93, 97
 — *Bierhorstii*, 75, 83, 85, 87–100
 — *integrifolia*, 81, 85, 93, 95
 — *lancifolia*, 81, 85, 93, 95, 97
Luehea, 299
 — *speciosa*, 299, 301, 304, 306–309
Lumnitzera rosea (Combretaceae) — Its Status and Floral Morphology, 342–357
Lumnitzera, 342, 344–350
 — *littorea*, 342–350
 — — \times *racemosa*, 348, 349
 — *lutea*, 344
 — *racemosa*, 342–350
 — — var. *lutea*, 344
 — *rosea*, 344, 345, 349
 — \times *rosea*, 342–357
Lycium carolinianum, 62
Lycopersicon esculentum, 66
 — *lycopersicum*, 66
Lycopodium, 231
Lyonia, 337
Lyonothamnoxylon, 16

Magnoliaceae, 70, 274, 284, 287–290, 292
Magnoliaceoxylon, 1
 Mahogany, 67
Maloidoxylon, 16
Malvaceae, 64
Mangifera indica, 66
 Mango, 66
Manicaria saccifera, 123
Manilkara zapota, 66
 Marlberry, 60
 MARTICORENA, CLODOMIRO, and JORGE VICTOR CRISCI. Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), 352–359
 MARTÍNEZ-HERNÁNDEZ, E., P. FERNÁNDEZ, and S. LOZANO. Pollen of Tropical Trees. I. Tiliaceae, 299–309
 Mastic, 62
Mastichodendron foetidissimum, 62
Mauritia vinifera, 108, 116
Mauritiella pacifica, 108
 McJUNKIN, DAVID M., and DANIEL F. AUSTIN. An Ethnoflora of Chokoloskee Island, Collier County, Florida, 50–67
Melanthera parviflora, 62
Melia azedarach, 62
Meliaceae, 62, 67
Melicoccus bijugatus, 66
Melothria pendula, 62
Menispermaceae, 284
Mentzelia floridana, 62
 Metaxylem in Palms, Form of the Perforation Plates in the Wide Vessels of, 105–128
 Mexican poppy, 60
 Milk and wine lily, 65
 Milk pea, 62
Momordica charantia, 63
Monstera deliciosa, 66
 Moonflower, 62
Moraceae, 61
Morinda royoc, 63
 Morning glory, 62
 Morphology, *Lumnitzera rosea* (Combretaceae) — Its Status and Floral, 342–357
 MOSELEY, MAYNARD F., JR., and JOSEPH M. KEEFE. Wood Anatomy and Phylogeny of *Paeonia* Section *Moutan*, 274–297
Musa paradisiaca var. *sapientum*, 66
Musaceae, 66
Mutingia calabura, 66
Myrica, 11–13, 21
 — *absarokensis*, 10–13, 26
 — *cerifera*, 11, 13
 — *rubra*, 11, 13
 — *scalariformis*, 12
Myricaceae, 10–12

- Myricoxylon hungaricum, 12
 Myristicaceae, 287, 289
 Myrothamnaceae: The Nodal Anatomy of *Myrothamnus flabellifolius*: Another Example of a "Split-lateral" Condition, 192-196
 Myrothamnaceae, 192, 194
 Myrothamnus flabellifolius (Myrothamnaceae), The Nodal Anatomy of: Another Example of a "Split-lateral" Condition, 192-196
 Myrothamnus, 192
 — flabellifolius, 192-196
 — moschatus, 194
 Myrsinaceae, 60
 Myrtaceae, 41, 61, 63, 65-67

 Natal grass, 64
 Necklace pod, 64
 Needle-leaf wild pine, 64
 Nerium oleander, 66
 Night-blooming cactus, 66
 Night-blooming cereus, 62
 Nightshade, 64
 Nodal Anatomy of *Myrothamnus flabellifolius* (Myrothamnaceae), The: Another Example of a "Split-lateral" Condition, 192-196
 Norfolk Island pine, 65
 Nyctaginaceae, 63, 65
 Nypa, 117, 126
 — fruticans, 118, 121, 122
 Nyssa, 13-15, 21
 — brandoniana, 14
 — eydei, 14
 — javanica, 14
 — ogeche, 15
 — saximontana, 13-15
 — sinensis, 14, 15
 — sylvatica, 14, 15
 Nyssaceae, 13
 Nyssoxylon, 14
 — haanradense, 14
 — ishikariense, 14
 — japonicum, 14
 — romanicum, 14
 — saximontanum, 26

 Oleaceae, 62
 Oleander, 66
 Onion, 65
 Opuntia stricta var. dillenii, 63
 Orchid tree, 65
 Orpine, 207
 Orpine Family, 197
 Oxalidaceae, 63
 Oxalis corniculata, 63

 Pachynema, 39, 43, 45
 — complanatum, 45
 — junceum, 39, 43, 45
 Pachyphytum, 200, 219, 220
 Paeonia Section Moutan, Wood Anatomy and Phylogeny of, 274-297
 Paeonia, 274-297
 — sect. Moutan, 274, 279, 281, 283, 288, 294
 — — subsect. Delavayanae, 275
 — — subsect. Vaginatae, 275
 — — sect. Onaepia, 274, 288
 — sect. Paeonia, 274, 288
 — californica, 279
 — delavayi, 275, 281
 — — \times lutea, 275, 278
 — lactiflora, 288
 — lutea, 275, 277, 278, 280, 282
 — — \times potaninii, 275
 — potaninii, 275, 278, 281
 — — forma alba, 282
 — suffruticosa, 275, 278-281, 283
 Paeoniaceae, 274, 279, 283, 284, 286, 288-290, 293, 294
 Palandra aequatorialis, 119
 Paleonyssa spatulata, 14
 Palm, 66
 Palms, Form of the Perforation Plates in the Wide Vessels of Metaxylem in, 105-128
 Panicum maximum, 63
 Papaveraceae, 60
 Papaw, 61
 Papaya, 61
 Parietaria floridana, 63
 Parthenocissus quinquefolia, 63
 Parvisedum, 219
 Peach, 67
 Pectis leptcephala, 63
 Pedilanthus tithymaloides, 66
 Pelargonium hortorum, 66
 Pellitory, 63
 Pencil-flower, 64
 Pencil tree, 66
 Penthorum, 200, 230
 Pepper-grass, 62
 Pepper tree, 67
 Perdicium magellanicum, 357
 Perezia (Compositae, Mutisieae), Transfer of the Brazilian *Trixis eryngioides* to, 352-359
 Perezia, 352-359
 — catharinensis, 357, 358
 — eryngioides, 352-358
 — kingii, 357, 358
 — magellanica, 357
 — multiflora, 357, 358

- Perezia multiflora* subsp. *multiflora*, 357
 — — subsp. *sonchifolia*, 357
 — *squarrosa*, 357, 358
 — — subsp. *cubataensis*, 357, 358
 — — subsp. *squarrosa*, 357
 Perforation Plates in the Wide Vessels of
 Metaxylem in Palms, Form of the, 105–
 128
 Periwinkle, 65
Persea americana, 63
Petiveria alliacea, 63
Phaseolus aureus, 329
 — *vulgaris*, 66, 328
 PHILCOX, D. A Spectacular *Buchnera*
 (Scrophulariaceae) from Colombia, 298
Philoxerus vermicularis, 63
Phlebodium aureum, 63
Phoenix dactylifera, 63
 — *roebellinii*, 66
 — *rupicola*, 66
Pholidostachys pulchra, 123
Phragmites australis, 63
 — *communis*, 63
 Phyllocladaceae: The Genus *Phyllocladus*,
 249–273
 Phyllocladaceae, 249
Phyllocladus (Phyllocladaceae), The Ge-
 nus, 249–273
Phyllocladus, 249–273
 — *alpinus*, 249, 263, 266
 — *aspleniifolius*, 249, 255, 258, 259, 261–
 263
 — — var. *alpinus*, 249, 251, 253, 256, 258,
 261–267
 — — var. *aspleniifolius*, 249–252, 255–264,
 270
 — *billardieri*, 262, 263
 — *glaucus*, 249, 251–262, 265–267, 270
 — *hypophyllus*, 249, 251, 253–261, 267–
 269
 — — var. *protracta*, 267
 — *major*, 267
 — *protractus*, 267
 — *rhomboidalis*, 249, 261–263, 266
 — *serratifolia*, 263
 — *trichomanoides*, 251, 253–260, 262, 265,
 267, 269, 270
 — — var. *alpinus*, 263
 — — var. *glaucus*, 266
 Phylogeny of *Paeonia* Section *Moutan*,
 Wood Anatomy and, 274–297
Physokentia rosea, 110, 114
Phytelephas, 119
 — *macrocarpa*, 119
 — *microcarpa*, 119, 123
 Phytolaccaceae, 63, 64
Pieris japonica, 315
Pigafetta filaris, 123
 Pigeon plum, 61
 Pigweed, 60
 Pinaceae, 71, 72
Pinanga, 110, 123
Pinus, 72
 — *australis*, 335
Piptocarpha, 411
Piscidia piscipula, 63
Pisonia aculeata, 63
Pistacia, 2
Pithecellobium unguis-cati, 63
Planera, 19
Plataninium, 1
Platyterium bifurcatum, 66
Pleomele marginata, 66
 Plumbaginaceae, 63, 66
Plumbago capensis, 66
 — *scandens*, 63
Plumeria rubra, 66
 Poaceae, 60, 61, 63, 64
 Podocarpaceae, 249
Podocarpus, 261
 — *aspleniifolia*, 262, 263
Podococcus, 117
 Podostemaceae, 201
Poinciana, 66
Poinsettia, 66
 — *cyathophora*, 63
 — *pulcherrima*, 66
 Poison ivy, 64
 Pollen of Tropical Trees. I. *Tiliaceae*,
 299–309
Polyandrocos caudescens, 116
 Polygonaceae, 61, 65, 71
 Polypodiaceae, 63, 66
Polyscias filicifolia, 66
 — *guilfoylei*, 66
 Pomegranate, 67
Pomoxylon, 16
 Pondweed, 175
 Pondweed Family, 170
 Poor-man's-patch, 62
Portulaca, 55
 — *oleracea*, 63
 Portulacaceae, 63
 Posidoniaceae, 171
Potamogeton, 170, 171, 174–188
 — subg. *Coleogeton*, 175, 177
 — — sect. *Connati*, 177
 — — sect. *Convoluti*, 177
 — subg. *Potamogeton*, 175
 — — sect. *Adnati*, 175
 — — sect. *Axillares*, 175, 176
 Potamogetonaceae in the Southeastern
 United States, The, 170–191
 Potamogetonaceae, 170–191

- Potamogetoneae, 170
 Potato vine, 61
 Pothos, 67
 Pouteria campechiana, 67
 Prickly pear, 63
 PRIMACK, R. B., N. C. DUKE, P. B. TOMLINSON, and J. S. BUNT. *Lumnitzera rosea* (Combretaceae) — Its Status and Floral Morphology, 342–357
 Privet, 62
 Procrassula, 214, 235
 Progymnospermae, 249
 Progymnospermopsida, 249
 Proteaceae, 41
 Proustia domingensis, 396
 Pruninium gummosum, 15, 16
 Prunus, 15, 16, 21
 — *gummosa*, 15–17, 20, 26
 — *persica*, 67
 — *serotina*, 16
 Pseudoludovia, 81, 83
 — *Andreana*, 81, 97, 99
 Pseudophoenix, 117, 121
 — *sargentii*, 114
 Psidium guajava, 63
 Psychotria nervosa, 63
 Pterocarya, 9, 10
 — *caucasia*, 9
 — *paliurus*, 9
 — *rhoifolia*, 9, 10
 Pterocaryoxylon, 9, 10, 21
 — *chinense*, 10
 — *honshouense*, 10
 — *knowltonii*, 8–10, 26
 — *pannonicum*, 10
 — *pilinyense*, 10
 — *subpannonicum*, 10
 Publication of Sargent's *Silva* of North America, Dates of, 68–73
 PUFF, CHRISTIAN. The Nodal Anatomy of *Myrothamnus flabellifolius* (Myrothamnaceae): Another Example of a "Split-lateral" Condition, 192–196
 Pull-and-hold-back, 63
 Punica granatum, 67
 Punicaceae, 67
 Purdiaea, 4, 5
 Purple alamanda, 66
 Purple queen, 67
 Purslane, 63
 Pyrola fruticosa, 336

 Quamoclit, 62
 Queen's palm, 65
 Quercinium, 6, 7, 21
 — *amethystianum*, 5, 6, 8, 26
 — *anomalum*, 8
 — *knowltonii*, 6, 8
 — *lamarensense*, 6–8, 26
 — *lesquereuxii*, 8
 — *solerederi*, 8
 — *wardii*, 8
 Quercoxylon, 6
 Quercus, 8, 71
 — *ricardensis*, 8
 — *rubida*, 6

 Randia aculeata, 63
 Ranunculaceae, 274, 283, 284, 287, 289–291, 293
 Rattlebox, 61
 Red mangrove, 63
 Red silk-cotton tree, 65
 Reed, 63
 Reinhardtia simplex, 115, 123
 Revision of the West Indian *Vernonias* (Compositae), A, 360–413
 Rhabdadenia biflora, 63
 Rhamnaceae, 62, 72
 Rhaphidophora aurea, 67
 Rhapsidophyllum hystrix, 108, 111, 123
 Rhapis excelsa, 123
 Rhizophora in Australasia — Some Clarification of Taxonomy and Distribution, 156–169
 Rhizophora, 156–169
 — *apiculata*, 156, 162, 163, 165–168
 — *harrisonii*, 156
 — \times *lamarckii*, 156, 162, 163, 165–168
 — *mangle*, 54, 63, 156, 158–161, 163
 — — var. *samoensis*, 156
 — *mucronata*, 156, 158, 162, 163, 167, 168
 — — var. *selala*, 158, 159
 — *racemosa*, 156
 — *samoensis*, 156–164, 167, 168
 — 'selala', 159
 — \times *selala*, 156–159, 161, 162, 164, 167, 168
 — *stylosa*, 156–159, 161–168
 Rhizophoraceae, 63, 192
 Rhodiola, 207–209
 Rhododendroideae, Generic Limits in the Tribe Cladothamneae (Ericaceae), and Its Position in the, 311–341
 Rhododendron, 332
 — subg. *Anthodendron*, 217
 — sect. *Vireya*, 337
 Rhodium, 2, 3
 — *juglandifolia*, 2
 — *philippense*, 2
 — *ungeri*, 2
 Rhus, 2, 3
 — subg. *Toxicodendron*, 2, 3
 — *crystallifera*, 1–3, 26

- Rhus striata*, 3
Rhynchelytrum repens, 64
Rhynchosia parvifolia, 64
Ribes, 218
Ricinus communis, 67
Rivina humilis, 64
Romnaldia, 148, 149
— *papuana*, 147, 149, 150
Rosa, 67
Rosaceae, 15, 16, 66, 67, 70, 72, 287, 289, 292, 293
— subfam. Chrysobalanoideae, 15, 16
— subfam. Maloideae, 287–289, 293
— subfam. Prunoideae, 15, 16, 287–289, 293
— subfam. Rosoideae, 287, 289, 293
— subfam. Spiraeoideae, 287, 289, 293
Rosaceoxylon, 16
Rosary pea, 60
Rose, 67
Royal palm, 67
Roystonea, 123
— *elata*, 54
— *regia*, 67
Rubber vine, 63
Rubiaceae, 60–63, 66, 192
Ruppia, 174, 185–191
Ruppiaceae, 170
RURY, PHILLIP M., G. LEDYARD STEBBINS, and WILLIAM C. DICKISON. Xylem Anatomy of *Hibbertia* (Dilleniaceae) in Relation to Ecology and Evolution, 32–49
Russelia equisetiformis, 64
Rutaceae, 61, 65

Sabal, 67
— palmetto, 53, 67
Saffron plum, 60
Salicaceae, 71
Salt grass, 61
Saltwort, 60
Sanchezia, 67
— *speciosa*, 67
Sandbur, 61
Sansevieria metallica, 51, 64
Sapindaceae, 61, 64, 66, 70
Sapindus saponaria, 55, 64
Sapodilla, 66
Sapotaceae, 60–62, 66, 67, 71
Sargent's *Silva* of North America, Dates of Publication of, 68–73
Satinleaf, 61
Saurauiceae, 287, 289, 292
Sawgrass, 61
Saxifragaceae, 70, 200, 218
— subfam. Penthoroideae, 200
Saxifragaceae subfam. Saxifragoideae, 216
Schinus actinoporosum, 3
Schinus, 3
— *terebinthifolius*, 67
Schmaltzia, 2
Schumacheria, 42, 44
Sclerosperma mannii, 114, 123
Scoparia dulcis, 64
SCOTT, RICHARD A., ELSO S. BARGHOORN, and ELISABETH F. WHEELER. Fossil Dicotyledonous Woods from Yellowstone National Park, II, 1–31
Scrophulariaceae: A Spectacular *Buchnera* from Colombia, 298
Scrophulariaceae, 60, 64
Sea blite, 64
Sea grape, 65
Seaside mahoe, 64
Sedaceae, 198
Sedastrum, 219
Sedella, 219
× *Sedeveria*, 220
Sedge, 62
Sedum, 200, 201, 206–220, 227–230, 235
— subg. *Rhodiola*, 208
— subg. *Sedum*, 208, 211
— subg. *Telephium*, 209
— sect. *Aizoon*, 216
— sect. *Bergerosedum*, 219
— sect. *Dendrosedum*, 219, 220
— sect. *Epeteium*, 208, 214, 235
— sect. *Eusedum*, 211
— sect. *Graptopetalum*, 220
— sect. *Pachysedum*, 219
— sect. *Procrassula*, 214, 235
— sect. *Rhodiola*, 208, 218
— sect. *Sedastrum*, 219
— sect. *Sedella*, 219
— sect. *Sedum*, 211, 213, 214, 218
— sect. *Telephium*, 208, 209, 216–218
Selala, 158, 159
Sempervivum, 201
Serenoa repens, 53, 123
Sesbania exaltata, 64
Setcreasea purpurea, 67
Shore juniper, 66
Sickle pod, 61
Sida acuta, 64
Silene, 217
Silva of North America, Dates of Publication of Sargent's, 68–73
Sindroa longisquama, 119
Slipper-flower, 66
Smilax, 50
Snout bean, 64
Snowberry, 61
Soap berry tree, 64

- Solanaceae, 61, 62, 64, 66
 Solanum americanum, 64
 Solidago stricta, 64
 Sonchus oleraceus, 64
 Sophora tomentosa, 64
 SORENSEN, PAUL D. Dates of Publication of Sargent's *Silva* of North America, 68-73
 Sour orange, 65
 Southeastern United States, The Genera of Crassulaceae in the, 197-248
 Southeastern United States, The Potamogetonaceae in the, 170-191
 Spanish dagger, 67
 Spanish lime, 66
 Spanish moss, 67
 Spanish needles, 60
 Spanish stopper, 61
 Spartina patens, 64
 Spathodea campanulata, 67
 Spectacular *Buchnera* (Scrophulariaceae) from Colombia, A, 298
 Sphaeradenia, 83, 99
 "Split-lateral" Condition, Another Example of a: The Nodal Anatomy of *Myrothamnus flabellifolius* (Myrothamnaceae), 192-196
 Spondias axillaris, 2
 — mombin, 2
 SPONGBERG, STEPHEN A. The Genera of Crassulaceae in the Southeastern United States, 197-248
 Sporobolus domingensis, 64
 Spurge, 61
 Squash, 66
 Stachytarpheta jamaicensis, 64
 Staehelina solidaginoides, 409
 Staghorn fern, 66
 Staphyleaceae, 17, 18
 STEBBINS, G. LEDYARD, WILLIAM C. DICKINSON, and PHILLIP M. RURY. Xylem Anatomy of *Hibbertia* (Dilleniaceae) in Relation to Ecology and Evolution, 32-49
 Sterculiaceae, 65
 STEVENS, P. F. Generic Limits in the Xeroteae (Liliaceae sensu lato), 129-155
 STEVENS, P. F., BRUCE A. BOHM, SCOTT W. BRIM, and RICHARD J. HEBDA. Generic Limits in the Tribe Cladothamneae (Ericaceae), and Its Position in the Rhododendroideae, 311-341
 Stonecrop, 207
 Stonecrop Family, 197
 Strangler fig, 61
 Strawberry tree, 66
 Streptocarpus hybrida, 329
 Stylosanthes biflora, 64
 Styracaceae, 17
 Suaeda linearis, 64
 Sugar apple, 60
 Surinam cherry, 66
 Sweet broom, 64
 Sweet orange, 61
 Swietenia mahagoni, 67
 Synechanthus, 123
 Syzygium cuminii, 67

 Tamarind, 67
 Tamarindus indicus, 67
 Tapirira, 3
 Taxonomy and Distribution, *Rhizophora* in Australasia — Some Clarification of, 156-169
 Tecoma stans, 64
 Tecomaria capensis, 67
 Telephium, 218
 Terminalia catappa, 67
 Tetrorum, 207, 219, 230
 Thalamia, 261
 — aspleniifolia, 262, 263
 Thatch palm, 67
 Theaceae, 287, 289, 292
 — tribe Actinandrieae, 292
 — tribe Ternstroemieae, 292
 Thespesia populnea, 64
 Thompsonella, 200, 220
 Thrinax radiata, 53, 67
 Thuja orientalis, 67
 Tick trefoil, 61
 Tiliaceae. Pollen of Tropical Trees. I, 299-309
 Tiliaceae, 299-309
 Tillaea, 227, 230, 232, 234, 235
 Tillaeastrum, 232, 234
 Tillandsia balbisiana, 64
 — fasciculata, 64
 — flexuosa, 64
 — setacea, 64
 — usneoides, 67
 Tolmeia, 335
 — occidentalis, 336
 Tomato, 66
 TOMLINSON, P. B. *Rhizophora* in Australasia — Some Clarification of Taxonomy and Distribution, 156-169
 TOMLINSON, P. B., J. S. BUNT, R. B. PRIMACK, and N. C. DUKE. *Lumnitzera rosea* (Combretaceae) — Its Status and Floral Morphology, 342-357
 Torricellia, 11
 Toxicodendron, 3
 — radicans, 64

- Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), 352-359
- Trees, Pollen of Tropical. I. Tiliaceae, 299-309
- Trichostigma octandrum*, 64
- Tridax procumbens*, 64
- Tripetaleia*, 311, 325, 335
- sect. *Eutripetaleia*, 334
- sect. *Schizocalyx*, 334
- sect. *Tripetaleia*, 334
- *bracteata*, 334, 335
- — var. *longeracemosa*, 335
- — var. *longiracemosa*, 313, 314
- *paniculata*, 312, 313, 325, 334, 335
- *yakusimensis*, 312, 336
- Trithrinax*, 121
- *brasiliensis*, 108
- Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), Transfer of the Brazilian, 352-359
- Trixis*, 352, 356-358
- *alata*, 354
- *eryngioides*, 352
- *inula*, 356
- Tropical almond, 67
- Tropical Trees, Pollen of. I. Tiliaceae, 299-309
- Turpinia*, 17, 18
- *absarokensis*, 18
- *lamarense*, 17, 18, 20, 26
- *uliginosa*, 18
- Twisted acacia, 60
- Two New Species and a New Subgenus of *Cyclanthaceae*, 74-101
- Ulmaceae, 18-21
- Ulminium, 1
- Ulmus pacifica*, 16
- Umbrella plant, 66
- Umbrella tree, 65
- Urticaceae, 63
- Vaccinium*, 337
- Veitchia merrillii*, 67
- Verbenaceae, 61, 62, 64
- Verbesina virginica*, 65
- Vereia*, 238
- Vernonia*, 360-413
- sect. *Lepidaploa*, 361, 362, 365
- — subsect. *Arborescentes*, 362-365, 369, 370, 382, 383, 387, 389
- — subsect. *Buxifoliae*, 362, 365, 395
- — subsect. *Graciles*, 411
- — subsect. *Pallescentes*, 362, 408
- — subsect. *Paniculatae*, 361, 410
- — subsect. *Polyanthes*, 362, 365, 399
- Vernonia* sect. *Lepidaploa* subsect. *Sagraeanae*, 362, 365, 402
- — subsect. *Scorpioides*, 362, 409
- sect. *Tephrodes*, 361, 411
- *aceratoides*, 407
- *acuminata*, 364-368, 378
- *acuñae*, 385
- *albicaulis*, 364, 372, 374
- — subsp. *albicaulis*, 368, 372-374
- — subsp. *longistylis*, 368, 372, 374, 375
- *albicoma*, 378
- *amaranthina*, 378
- *angustata*, 390
- *angusticeps*, 407
- *angustissima*, 375
- *anthelmintica*, 411
- *araripensis*, 375, 394
- *arborescens*, 364, 368, 379, 381, 382
- — var. *divaricata*, 390
- — γ *divaricata*, 378
- — β *Lessingiana*, 375, 381
- — β *ovatifolia*, 373, 381, 382
- *arbuscula*, 363, 392, 393
- *aronifolia*, 365, 381, 402, 403
- *barkeri*, 365, 395, 396
- *Berteriana*, 375
- *blodgettii*, 361, 410
- *borinquensis*, 364, 376-378
- — var. *hirsuta*, 377
- — var. *resinosa*, 377
- — var. *stahlii*, 377
- *buchii*, 391
- *buxifolia*, 365, 396, 397
- *calida*, 384
- *calophylla*, 384
- *cinerea*, 361, 411
- *commutata*, 363, 380, 394, 395
- *complicata*, 363, 380, 392, 393
- *corallophila*, 393
- *crassinervia*, 390
- *cristalensis*, 385
- *cubensis*, 399, 400
- — var. *cajalbanensis*, 399
- *desiliens*, 363, 380, 385, 387, 388
- *divaricata*, 364-367, 378-382, 384
- *domingensis*, 396
- *ekmanii*, 365, 396, 403-405
- *emarginata*, 373
- *expansa*, 366
- *fallax*, 407
- *flavescens*, 409
- *fruticosa*, 363, 376, 391, 392
- *gleasonii*, 373, 374
- *gnaphalifolia*, 378
- *gnaphaliifolia*, 363, 378-380, 384, 385, 390-392
- — var. *platyphylla*, 390
- *gracilis* subsp. *gracilis*, 412

- Vernonia gracilis* subsp. *tomentosa*, 411
 — *grisebachii*, 401
 — *harrisii*, 364, 366–368
 — *havanensis*, 365, 380, 399–402
 — *hieracioides*, 365, 380, 400, 401
 — — β *cubensis*, 399
 — *icosantha*, 381
 — *inaequiserrata*, 407
 — — var. *angustifolia*, 407
 — — var. *obtusifolium*, 407
 — *intonsa*, 378
 — *jenssenii*, 364, 380, 386
 — *lanuginosa*, 409
 — *leonis*, 383
 — *leptoclada*, 364, 379, 380, 384–389, 406
 — *linguaefolia*, 407
 — *longeracemosa*, 409
 — *longifolia*, 373
 — — α *genuina*, 373
 — — β *sintenisii*, 373
 — — γ *vahlia*, 373
 — *maestralis*, 375
 — *membranacea*, 390
 — *menthaefolia*, 365, 381, 401, 402
 — *mentifolia* var. *grisebachii*, 401
 — *microphylla*, 398, 399
 — *moaensis*, 385
 — *montana*, 397
 — *neglecta*, 385
 — *nematophylla*, 393
 — *nervosa*, 390
 — *ocana*, 398, 399
 — *orbicularis*, 363, 380, 383–385, 388
 — *orientis*, 400
 — *ottonis*, 401
 — *pallescens*, 362, 368, 408, 409
 — *parvuliceps*, 378, 379
 — *permollis*, 378
 — *phyllostachya*, 375
 — *pineticola*, 363, 370, 380, 385, 386, 388, 389
 — *platyphylla*, 390
 — *pluvialis*, 364, 366, 371, 372, 403
 — — var. *reducta*, 371
 — *potrerillona*, 407
 — *praestans*, 403
 — — var. *cacuminis*, 403
 — *proclivis*, 371
 — *punctata*, 373
 — *purpurata*, 365, 380, 403
 — *pusilliflora*, 398
 — *racemosa*, 375
 — *reducta*, 371
 — *reedii*, 407
 — *remotiflora*, 395
 — — forma *angustifolia*, 375, 393, 395
 — *rigida*, 364, 366–370
 — *rigida* var. *sagraeana*, 407
 — — var. *valenzuelana*, 407
 — *rubricaulis*, 407
 — *saepium*, 409
 — *sagraeana*, 365, 380, 405–408
 — — var. *angusticeps*, 407
 — *scorpioides*, 362, 383, 409, 410
 — — α *centriflora*, 409
 — — ϵ *longeracemosa*, 409
 — — δ *longifolia*, 409
 — — β *subrepanda*, 409
 — — γ *subtomentosa*, 409
 — *segregata*, 363, 370, 371, 380
 — *semitalis*, 384
 — *sericea*, 364, 374–377, 379, 395
 — — subsp. *racemosa*, 375
 — — — var. *angustifolia*, 375
 — *shaferi*, 373
 — *sintenisii*, 373
 — *sprengeliana*, 365, 396, 404, 405
 — *stenophylla*, 363, 375, 376, 393–395
 — *stictophylla*, 399
 — *sublanata*, 390
 — — var. *angustata*, 390
 — *subrepanda*, 409
 — *tetrantha*, 411
 — *thomae*, 373
 — *tournefortioides*, 409
 — *tricephala*, 411, 412
 — *trinitatis*, 361, 363, 382, 383
 — *tuerckheimii*, 365, 396–399
 — *urbaniana*, 364, 381, 386, 387
 — *vahlia*, 373
 — *valenzuelana*, 407
 — *ventosa*, 381
 — *venusta*, 375
 — *verticillata*, 364, 366, 368, 369
 — *vicina*, 384
 — *viminalis*, 365, 381, 405, 406
 — *wrightii*, 365, 381, 384, 385, 406
 — *yunquensis*, 364, 381, 386, 389, 390
Vernonias (Compositae), A Revision of the West Indian, 360–413
Vigna luteola, 65
Villadia, 200, 219
Virginia creeper, 63
Vitaceae, 63

Waltheria, 65
 — *indica*, 65
Welfia georgii, 123
Wendlandiella polyclada, 110, 123
West Indian blackthorn, 60
West Indian Vernonias (Compositae), A Revision of the, 360–413
 WHEELER, ELISABETH F., RICHARD A. SCOTT, and ELSO S. BARGHOORN. Fos-

- sil Dicotyledonous Woods from Yellowstone National Park, II, 1-31
 White mangrove, 62
 White stopper, 61
 Wild coffee, 63
 Wild lime, 65
 Wild pine, 64
 Wild plumbago, 63
 Wild poinsettia, 63
 WILDER, GEORGE J. Two New Species and a New Subgenus of Cyclanthaceae, 74-101
 Winteraceae, 287, 289
 Woman's tongue, 60
 Wood Anatomy and Phylogeny of Paeonia Section Moutan, 274-297

 Xanthorrhiza, 291
 Xanthorrhoea, 129-131
 Xanthorrhoeaceae, 129, 130, 132
 Xeroteae (Liliaceae sensu lato), Generic Limits in the, 129-155
 Xerotes, 129, 132
 — sect. Euxerotes ser. Fasciculatae, 138, 140
 — — ser. Glomeratae, 138
 — — ser. Sparsiflorae, 138, 140
 — sect. Schoenoxeros, 137

 Xerotes sect. Xerotes, 138
 — banksii, 150, 152
 — multiflora, 152
 — turbinata, 130
 Xylem Anatomy of Hibbertia (Dilleniaceae) in Relation to Ecology and Evolution, 32-49

 Yellow elder, 64
 Yellowstone National Park, Fossil Dicotyledonous Woods from, II, 1-31
 Ylang-ylang, 65
 Yucca aloifolia, 57, 67

 Zamia, 50
 Zannichellia, 188
 Zannichelliaceae, 170, 171
 Zanthoxylum fagara, 65
 Zea mays, 67
 Zelkova, 19, 20
 — wakimizui, 20
 — zelkoviformis, 20
 Zelkovoxydon, 20
 — dacicum, 20
 — occidentale, 18-20, 26
 — yatsenkokhmelvskyi, 20
 Zosteraceae, 170, 171
 Zygochloaceae, 192